

15.6 "IP Monitor / PC for Live Monitoring Up to 16 x Camera, 16: 9 Format

FEATURES

IP monitor that can stream live video from 16 x IP camera via switch
15.6 "LED display, 1920 x 1080 pixels
H264, 16: 9 format
1 x HDMI (Full HD)
2 x audio (RCA)
1 x VGA and 1 x DVI-D
1 x RJ45 (10/100)
2 x USB2.0
1 x e-SATA for recording (option)
Supply: DC 12V / 5A or via PoE (option)
Operating Temperature: 0 - 50 ° C
Dimensions: 401.5 x 251 x 60.3mm
For VESA Mounting



SPECIFICATIONS

Farve	:	262K
Andet	:	H264, 16:9 format
Dimensioner	:	401,5 x 251 x 60,3mm
Driftstemperatur	:	0 - 50°C
Forsyning	:	DC 12V/5A or via PoE
Kontrast	:	700:1
Lyd	:	2 x built - in speaker (2 watt)
Lysstyrke	:	300 cd/m2 LED
Opløsning	:	1920 x 1080 pixel
Output	:	1 x phone jack 3,5
Porte	:	Stik/ porte: 1 x HDMI (Full HD) 2 x audio (RCA) 1 x VGA og 1 x DVI-D 1 x RJ45 (10/100) 2 x USB2.0 1 x e-SATA
Skærm	:	15,6" LED skærm



DANBIT A/S - Dansk Binær Teknik
Værkstedsvvej 39 Køge , 4600 Danmark



+45 56 66 20
20




salg@danbit.dk



DANBIT

MON15.6-IP

SPECIFICATIONS

 DANBIT A/S - Dansk Binær Teknik
Værkstedvej 39 Køge , 4600 Danmark

 +45 56 66 20
20

 salg@danbit.dk

All prices are excl. VAT and delivery
 Reservations are made for obsolete items and errors in data